


# QB1HYG BANDED EARPLUGS

## OVERVIEW

<b>Product Type</b>	Hearing Protection
<b>Range</b>	Earplugs
<b>Line</b>	Resealable Earplugs
<b>Product Use</b>	Banded Earplug
<b>Brand</b>	Howard Leight by Honeywell
<b>Industry</b>	Agriculture • Airlines • Chemical • Food Services • Forestry • Government • Law Enforcement Manufacturing • Medical • Military • Mining • Municipal Services • Oil and Gas • Pharmaceutical • Steel and Metals • Transportation • Utilities • Welding



QB1HYG Banded Earplugs

## OVERVIEW

QB1 is an alternative for those who work in intermittent noise or for managers and visitors who move in and out of noisy areas.

## FEATURES

- Smooth, ergonomic pods fit in the ear for maximum protection
- Patented band design prevents ear pods from contaminated surfaces
- Lightweight and portable—designed especially for environments with intermittent noise hazards
- Includes pair of replacement pods

## TRAINING & PROPER USE

1. Position the band under your chin.
2. Use your hands to press the ear pods well into the ear canal using an inward motion.
3. Protection levels are improved by pulling your ear up and back when fitting as shown.
4. In a noisy environment, lightly press the band inward with your fingertips as shown. You should not notice a significant difference in noise level.
5. Proper Fit – If either or both earplugs do not seem to be fitted properly, remove the earplug and reinsert.
6. Removal – Gently twist earplug while slowly pulling in an outward motion for removal.
7. Acoustical Check – In a noisy environment, with earplugs inserted, cup your hands over your ears and release. Earplugs should block enough noise so that covering your ears with your hands should not result in a significant noise difference.

## ADDITIONAL INFORMATION

- **INSPECT** – Prior to fitting, examine your earpods for dirt, damage or extreme hardness—discard immediately if compromised.
- **CLEAN** – Wash pods and bands with mild soap and warm water only. Pat dry with a towel. Do not treat with any other substances, as the earpods may degrade and compromise use.
- **REPLACE** – Replace pods every 2-4 weeks for top protection and performance.

## TECHNICAL DESCRIPTION

NRR (DB)	27	SIZE	-
H (DB)	-	COLOR	Orange [pod], Yellow [band]
M (DB)	-	SHAPE	Bell
L (DB)	-	WEIGHT (G)	-

## REGULATIONS

29 CFR 1910.95	OSHA Occupational Noise Exposure (US)
ANSI S3.19-1974	Attenuation Test Protocol (US)
CSA Z1007	

## ADDITIONAL INFORMATION

User Manual	Instruction Manual - QB1HYG (global)
-------------	--------------------------------------

SKU	DESCRIPTION (EN)
QB1HYG	QB1HYG - NRR 27
QB100HYG	QB100HYG Replacement Pods

### For more Information

[automation.honeywell.com](http://automation.honeywell.com)

### For Information on Innovations and Patents

[hsmrats.com](http://hsmrats.com)

### Honeywell Safety Products USA, Inc.

855 S Mint St  
Charlotte, NC 28202  
[www.honeywell.com](http://www.honeywell.com)

HPPE Hearing QB1HYG | Technical Data | 2/24  
© 2024 Honeywell International Inc.

**Honeywell**  
HOWARD  
LEIGHT